

Journal of Pharmacognosy and Phytochemistry

Available online at www.phytojournal.com



E-ISSN: 2278-4136 P-ISSN: 2349-8234 www.phytojournal.com JPP 2020; 9(2): 2185-2190 Received: 24-01-2020 Accepted: 28-02-2020

S Krishnaprabu

Assistant Professor, Department of Agronomy, Faculty of Agriculture, Annamalai University, Annamalainagar, Tamil Nadu, India

Sustaining productivity of jatropha cultivation for biodiesel

S Krishnaprabu

DOI: https://doi.org/10.22271/phyto.2020.v9.i2aj.11181

Abstract

Growth of *Jatropha carcus* in southern African countries is a new endeavor. Claims that jatropha has ability to grow in marginal lands, multiple benefits, potential to increase energy security and mitigate climate change, have motivated some governments, private organisations and individual farmers to invest in its production under different business models. This paper presents results of literature review on experiences of southern African countries on economic impact of growing jatropha for biodiesel production. These results provide lessons for the envisaged jatropha biodiesel production in Botswana as well as other countries intending to grow jatropha in the future. While the economic impacts of investing in jatropha production are country and project specific, the review revealed that most projects, especially commercial plantations, are not economically attractive to the extent that they have been abandoned in some countries. The study concludes by recommending the undertaking of agronomic and socio economic research to fully understand the performance of jatropha crop before embarking on large commercial production which may be risky.

Keywords: Jatropha production, sustainability, cost benefit analysis, seed yield, biodiesel production

Introduction

The over dependence on and dwindling supply and increasing price of fossil fuels, coupled with concerns on climate change, increasing international trade, have led to a worldwide shift of interest from conventional energy sources to development of biofuels which are viewed as climate smart energy sources. Biofuels are fuels derived from renewable biological materials such as sugar crops (sugarcane, sugar beet), starch crops (corn, potatoes), oilseed crops (soybean, sunflower, rapeseed), and animal fats. Their growth is associated with socioeconomic and environmental benefits and costs. The socio economic benefits include improved rural livelihoods through crop diversification, increased export revenue and agricultural employment, while the socio economic ills include eviction of farmers from land used for crop production (especially when jatropha is grown on non-marginal land), and entrapping smallholder farmers in contract conditions where they had less freedom to pursue other market opportunities.

Among the environmental benefits of biofuel production is climate stabilisation, while environmental problems include loss of biodiversity ensuing from large scale deforestation, and competition for essential resources such as water and nutrients with other food crops.

Many countries in the sub-Saharan African region have not been an exception in the drive to achieve energy security as they have depended on oil imports for a long time. The move towards energy security has led to increased interest in Jatropha carcus, a non-food crop. Jatropha is a large succulent shrub, belonging to the family Euphorbiaceae, growing up to a height of 5-7 m. It is native to Mexico and Central America, but now grows widely throughout the tropics and other areas in Latin America, Africa, India and South-East Asia. Interest in growth of jatropha was aroused by its perceived good agronomic characteristics. For instance, Jatropha was general thought to be drought tolerant, resistant to pest and diseases and require low nutritional requirements. Furthermore, jatropha was thought to grow on shallow, low fertility and degraded soils as well as in low rainfall area. It was also reported to perform well on a wide range of temperatures, but very sensitive to frost. Most of the claims made earlier on these jatropha performance characteristics are contested by recent literature.

The drive to grow jatropha was also influenced by its multiple uses. In Tanzania, Mozambique and Zimbabwe, the plant has been used as hedge to protect arable fields and homesteads as well as to reduce soil erosion. The oil from processed seeds is used as an insecticide, for making candles, and to provide energy for lighting and cooking.

Corresponding Author: S Krishnaprabu

Assistant Professor, Department of Agronomy, Faculty of Agriculture, Annamalai University, Annamalainagar, Tamil Nadu, India The seed cake produced from the transterification of oil is used as feedstock for biogas production and later as fertilizer, while glycerine is used in soap making. Seeds, leaves and barks of the plant are used as source of traditional medicines, while woody part such as sticks and poles are used as source of energy for cooking.

Assessment of Economic Sustainability of Jatropha Production

Biofuel production systems are deemed sustainable if they are economically sustainable, conserve the environment and meet the welfare needs of people. Maximising goal achievement across economic, environmental and social sustainability therefore contributes to overall sustainability of a project. In a broader context, avoiding or reducing damage to the integrity of the environment is a goal of environmental sustainability. Thus, project activities that have the potential to result in loss of biodiversity, increased greenhouse gas emissions or other negative effects on the environment, are not deemed environmentally benign. Assessment of social sustainability would consider a range of positive and negative impacts on issues affecting the wellbeing of society such as such food security, local prosperity, working and labour conditions, land rights and gender. For any given projects some members of the society benefit, while others would carry a net loss. A project that results in dispossession or eviction of farmers from their land, increased socio economic disparities, reduced food supply and increases in food prices, may not pass the social sustainability criteria.

Sustainability can have varied meanings. In the context of this paper, a jatropha production project is considered economically sustainable if it is able to earn cash flow from the sale of seeds or oil to cover the cost of production and make profit over the life of a project, while having minimal negative social and environmental impacts. Cost-Benefit Analysis (CBA) is a common tool used to assess economic sustainability or viability of large-scale and smallholder jatropha projects with a view to assist in better allocation of scarce economic resources. As CBA is limited to quantifying the cost and benefits of projects in monetary terms, some of environmental cost and benefits are not easily quantifiable due to the absence of market prices for these costs and benefits. However, non-market techniques are often employed to estimate their values. CBA also entails efficiency and equity considerations. A project that is economically efficient makes maximum use of resource inputs to produce the highest output per unit of those resources. In the context of jatropha such a project would produce the highest seed yield using minimal labour or other resources. A project is said to yield equitable benefits if the benefits exceed costs for most groups in a society.

Projects may be assessed at three stages of i) before an activity takes place (*ex-ante* analysis), ii) during an activity and iii) after an activity has taken place. The purpose of *ex ante* analysis is to help in setting priorities and deciding whether or not an activity should be undertaken. *Ex post* analysis has the objective of evaluating how an activity has performed, as well as to judge whether or not resources should have been invested in that activity. Assessment carried out during an activity allows monitoring to take place and to provide an opportunity to make changes where necessary.

The most common business models where economic assessment is undertaken are smallholder and out grower projects and large industrial farms. The smallholder and outgrower model comprises what is often referred to as Type

1 and Type III projects, while the large industrial farms can be categorized into Type II and Type IV project. Type 1 projects are characterised by independent production of feedstock for local or commercial use by the smallholder farmer. Projects undertaken under this mode of production are often aimed at improving rural livelihoods especially when the focus of production is on multiple products of jatropha such as using oil for electricity generation or soap production. The smallholder business model also involves the hedge cultivation, a traditional system in which jatropha is grown as live fence for the protection of fields from livestock and for demarcation purposes. Type III projects are characterised by producing feedstock under a contract arrangement between large a commercial company and the smallholder farmers. The large commercial company provides support to contracted farmers in the form of supplying seeds, while the farmer is obliged to plant jatropha on their land and sell seeds to commercial company.

The measurement criteria often used in CBA include the net present value (NPV), the internal rate of return (IRR), the benefit-cost ratio (BCR) and the payback period (PBP). The net present value (NPV) is the sum that results when the expected costs of the investment are deducted from the discounted value of the expected benefits (revenues) (International Fund for Agriculture and Rural Development, 2015). A project is considered to be profitable if it has a positive NPV. The IRR is the rate of discount that makes the NPV equal to zero or the rate of interest that makes a project to break-even. The breakeven is the point at which revenue or sales cover production costs. The BCR is a profitability index, and is the ratio of sum of all discounted costs to benefits. A project with a BCR of greater than one indicates that the project is making profit, while the converse is true. The payback period is the number of years a project takes to repay its investment costs. A long payback period therefore indicates a project that is not economically promising.

Biofuel projects also provide direct and indirect social benefits or values that stakeholders realise as a result of their participation in the projects. Indicators for social values or benefits include the number and quality of jobs created, increased household income, improved food security, reduced poverty and improved access to energy by poor households. According to Working Group of Sustainable Biomass Utilization Vision in East Asia (2008), indirect benefits or effects of growing biofuels such as jatropha may include additional jobs and economic activity involved in supplying goods and services related to the primary activity or industries related to production and processing of the plant, while induced effects or benefits include employment and other economic activities generated by the respending of wages earned by those directly and indirectly employed in the jatropha related industry.

Material and Methods

The approach of this study was to review of old and recent literature on the economic sustainability of small and large scale jatropha projects in the southern African region. In this review a range of sources were used including journals, books and government reports/documents. The review covers most countries in southern Africa as all of them import their transport fuel. While variations in the local environment and socio-economic conditions exist between Botswana and other southern African countries, the status of old and ongoing jatropha projects undertaken in some of these countries provide great lessons for Botswana and other countries that

are planning to embark of bioenergy projects. Specific case studies of projects in southern Africa were reviewed, but the general discussion also drew from examples of projects undertaken in other parts of the world, especially in countries with long experience of jatropha cultivation.

Results of Economic Impact of Jatropha Production in Southern Africa

Growth of jatropha crop in Africa as a source of energy and other uses is a relatively new venture and therefore not much data exists that shows the crop's contribution to the energy sector of developing countries and rural livelihoods. Most of southern African countries have environmental and socio economic conditions that are generally suitable for growth of most biofuel crops, including jatropha. Countries such as Mozambique, Angola, Tanzania, and Zimbabwe, have great potential for the production of biofuels, while Botswana and Namibia are considered to have a relatively lower potential. Mozambique is considered to be the most suitable country for biofuel production especially due to its proximity to the ocean, which enhances its export potential.

Jatropha project in Mozambique

Biofuels initiatives in Mozambique commenced with small and medium-scale production when Government of Mozambique envisaged that commercial companies would purchase feedstock from farmers, thereby improving their livelihoods thorough rural incomes. The development of the biofuel sector in Mozambique has largely been driven by the availability of large uncultivated land, suitable climate for most biofuel crops, availability of labour and a friendly investment environment that attracted multinational corporations. A national policy and strategy for biofuels was approved by the Government of Mozambique in March 2009. The pilot project on 'Jatropha for local development' in the coastal zone of Cabo Delgado Province in Mozambique was conceptualized in 2005 and implemented in 2007. The goal of the project was to determine the feasibility of enhancing local development using locally produced jatropha oil to run local diesel engines converted to run on pure jatropha oil, as well as for the local production of soap and lamp oil. Before commencement of the project farmers were planting and using jatropha as a medicinal plant and as a live fence around their homesteads and fields, and this project focused on planting jatropha a live fence. Considering the price of fossil fuel that made jatropha oil competitive and the price of seeds purchased by the project (5 MZN/kg1), the project was reported to be economically viable. However, the study does not indicate whether the project would still be viable when there is no market for the seed produced and investment cost of extracting oil are considered.

Jatropha project in Namibia

In Namibia, where biofuels have always been considered as sustainable sources of energy, the National Bio-energy Roadmap of 2006 identified jatropha as the most feasible crop for biodiesel production under dryland cultivation in Caprivi, Kavango and Maize Triangle areas. According to the roadmap, it was envisaged that 63,000 hectares of jatropha would have been planted by 2013, with an estimated potential contribution of N\$189 million2 to the country's Gross Domestic Product. The Roadmap and action plan aroused a lot of interest among foreign companies who started the process of acquiring land for jatropha production. In 2010, LL

Biofuels Namibia, the main investor in Caprivi area, secured 3,00,000 hectares of land for growth of jatropha. A comprehensive study undertaken by the Ministry of Environment and Tourism to determine the suitability of the jatropha plant and other fuel plants in Caprivi and Kavango regions, recommended that large-scale plantation of jatropha should not take place in the country until a Strategic Environmental Assessment (SEA) was undertaken in the said areas.

Jatropha project in Zambia

In Zambia, the development of biofuel sector was driven by the private sector and strong growth in this sector was experienced in the mid-2000s. The National Energy Policy was formulated and adopted in 2007. Most of biofuel investment in Zambia has focused on smallholder contract farming. While interest in development of biofuel has developed fairly recently, Zambians have a long history of growing jatropha traditionally as a live fence. To date the government has not only realised that jatropha based biodiesel production has the potential to stimulate rural development and promote agriculture, but also its contribution to the country's economic diversification.

Cost-benefit analysis was used in the eastern province of Zambia to determine the profitability of growing jatropha in Lundazi District under various assumptions and scenarios. In the first case scenario, the cost of growing jatropha on part of existing land areas of each farmer (1.2 hectares) was compared with the cost of importing diesel to generate electricity. In the second case scenario, the profitability of growing jatropha in a small rural village of Kakoma in a new area of 3.6 hectares in the presence of an NGO (that provided experience and knowledge to villages), was assumed. The analysis showed that economic benefits of both jatropha based biodiesel options were greater than importing diesel. However, when factoring in investment costs, the feasibility was decreased.

Jatropha project in Zimbabwe

In Zimbabwe, jatropha has been grown for a long time as hedge around homesteads, gardens, and crop fields to provide protection against the invasion by roaming animals. However, it was only in 2005 when the Government of Zimbabwe intensified its promotion of growth of jatropha as a potential source of energy and foreign exchange. Due to increased interest in growth and commercialisation of jatropha crop the government banned its export with a view to concentrating on its development. A local company, National Oil Company of Zimbabwe (NOCZIM), was mandated by the government to implement the biodiesel programme which started with contract model of farming in arid and semi-arid areas where farmers with more than 5 hectares of land entered into contracts with the National Oil Company of Zimbabwe. According to the contract agreement, the company provided free seed to farmers to plant jatropha after which farmers would sell seeds to the company for production of biodiesel. According to the study, these initiatives collapsed in late 2008 due to poor planning and lack of financial resources by the company. In addition, the company offered unattractive price of seeds to farmers that were not reflective of the amount of their labour that went into production. As a result of these challenges, the National Oil Company of Zimbabwe and most famers abandoned the project.

Jatropha project in Tanzania

Tanzania, like other developing countries in Africa has experienced a significant rise in demand for fuel as it continues to import all of its fuel requirements. Both the government and NGOs have been engaged in promoting biofuels as alternative energy sources as evidenced by initiatives such as the establishment of the Rural Energy Agency (REA) in 2005 which was tasked with promoting development of modern energy services in rural areas, and the National Biofuels Task Force (NBFT) in 2006 tasked with addressing issues relating to policies, regulatory framework, and legislation. Furthermore, the favourable environmental and socio economic conditions in Tanzania have led to increased interests among local and international organisation to grow jatropha.

A comparative study of a CBA of a large centralised jatropha plantation and a decentralised smallholder (hedge) system organised around a central processor in south east Tanzania. In both cases the study assumed a cultivation area of 80,000 hectares and a 20 year lifespan of the project. In the plantation model two harvest-system scenarios of semi-manual and fully-mechanized were assumed ("semimanual" and "fullymechanized"), while in the smallholder model two capacity scenarios of low" base case (82,000 tons of processed seed/ year) and a high case (160,000 tons of seeds/year) were assumed. Under the smallholder system jatropha hedge rows were planted around homesteads or farmer's fields using family labour, while the harvested seeds were sold directly or through middle-men to the company. In the plantation model farmers were hired to provide labour and agricultural equipment was used. The results revealed that the "high"

scenario of the smallholder model was the more profitable in terms of the IRR (Table 1). The authors however indicate that for a developing country such as Tanzania one of the challenges of smallholder model may be a secured supply of seeds even with contracted outgrowers. In terms of welfare impacts, the plantation model had higher profits per beneficiary as it employed fewer people, while the revenue per person in the smallholder system was less than in the plantation model since more people were involved in production (Table 1).

The technical and economic viability of biofuel production chains in Tanzania, specifically analysing the production costs of biodiesel production from jatropha and palm oil crops. Three potential investment scenarios were simulated of a combined facility for oil extraction and refinery under smallscale (outgrower) production; a combined facility for oil extraction and refinery and production of jatropha crop under estate (10,000 ha) and outgrowers (10,000 ha); and a combined facility of oil extraction and refinery under larger scale (estate) production of jatropha on 80,000 hectares of land. The simulation revealed that the lowest cost for production of jatropha biodiesel was obtained under the first scenario where the cost was estimated at USA \$0.687 per litre of biodiesel. The study argued that while changes in technologies may result in savings in the processing of inputs and utility costs under the commercial scenario, these are significantly less that the price of the feedstock. Another important finding of the study was that since production of jatropha was labour intensive, it would cost producers under commercial scenario 30% more than under outgrower production.

 Table 1: Economic analysis of Jatropha production in South East Tanzania.

System	NPV (\$m/ha)	IRR (%)	PBP (yr)	Discounted Production costs US\$/1SVO
Plantation (semi manual, 1t/h	15	17	13	1.32
Fully mechanized (1t/h)	-3	7	≥ 20	1.45
Processing with smallholders: Low capacity i.e. 82000 tons of seeds	8	14	13	1.28
High capacity i.e. 1600 000 seeds	18	18	12	1.20

The profitability and competitiveness of Jatropha seed production using CBA in three regions of northern Tanzania (Arusha region, the northern part of Manyara region and the northern part of Kilimanjaro region). CBA was carried out under three scenarios of with and without intercropping jatropha with sunflower at 2000 kg/ha, performing sensitivity analysis assuming higher seed yields of jatropha (50% more), and performing sensitivity analysis with a 50% increase in the prices of sunflower. Results indicated that production was economically viable when jatropha was grown as a sole crop and when intercropped with sunflower. Under the second scenario of assuming higher crop yields (i.e., 3000kg per hectare), and intercropping with sunflower, the discounted NPV was small though positive; indicating that under increasing yields jatropha was economically viable. In the third scenario where it was assumed that the prices of food crops were increasing both the cultivation of jatropha and sole cropping of sunflower were found to be economically viable, although sunflower was more profitable as its net discounted NPV was seven times higher than that for the cultivation of jatropha.

Discussion

The review of literature has shown that almost all of southern African countries continue to rely on imports of fossil fuels due to inability to meet their local energy requirement. This situation, coupled with increasing prices of conventional fuels led to increased interest among some of these countries to consider biofuels, and jatropha in particular, as promising and sustainable green energy sources.

Jatropha has been grown in the past in some countries as live fence. However efforts by southern African governments to grow this plant as a source of energy are recent. It is perhaps difficult to generalise about the economic impact of jatropha production in different countries due to different prevailing environmental and socio economic conditions and the nature of each project in each country. However, most of the projects related to the production of jatropha as a source of energy have been reported to be not economically attractive due to various reasons. Some studies indicate that companies with plans to invest in large plantations models of jatropha production were overly optimistic about its agronomic performance as they were driven by a motive to secure or attract funding. Many such projects collapsed and were subsequently abandoned. The reasons for failure and collapse of most jatropha projects in Madagascar, Mozambique, Tanzania, and Zambia include unrealistic business plans, low time-lags in production, underestimated labor/maintenance/transport costs, lack of markets and lack of appropriate policy frameworks to regulate the biofuel sector. Examples of projects undertaken by such companies include the UK based D1 oils which had plans to develop biodiesel in

Swaziland, but closed down in 2008; Swedish based BioMassive AB that envisaged production of over 10,000 ha of jatropha in Tanzania, but closed down in 2009; Dutch based Bioshape that acquired a 50 year lease for 81,000 ha to cultivate jatropha in Tanzania, but closed down in 2009 and the German based Flora Ecopower which held a 50 year lease for the production of jatropha and caste bean in Ethiopia, but closed down in 2010. The main reason for the closer of these companies was the significant losses incurred in production.

Recent literature shows that jatropha seed yield, one of the key determinants of economic viability, has overestimated to justify the undertaking of large scale jatropha production. Projects carried out without empirical evidence on jatropha seed yields were subsequently not economically viable due to lower jatropha yields. Yield of above 2-2.5 t/ha/yr seems to be the minimum for a plantation system to be economically viable. Claims that jatropha is pest and disease resistant, performs well in marginal areas and requires less water to grow, have not proven to be true. It has now been established that the seed yield of jatropha crop can be significantly improved when the crop is grown in fertile and irrigated soils. The plant has been found to be vulnerable to moisture stress particularly during the early stages of growth (18 months of age), making irrigation a vital crop management practice. Thus, irrigation should be a vital crop management practice for improved yields of the crop. The need for other crop management practices such as fertilizer application, weeding, pruning and control of pests and diseases to contribute to stable and higher high yields, have also been echoed by recent literature.

Investing in research on Jatropha

Since the cultivation of jatropha is a new endeavor, the government should support research that is aimed at generating knowledge on the agro-ecology of the jatropha and other biofuel crops. The research should aim to investigate growth performance of local and non-local jatropha varieties under different environmental (including growth on marginal land) and economic conditions. Development and evaluation of new varieties that would be grown in different ecological areas in Botswana should form part of the research agenda. Such varieties should have some traits of pest and disease resistance, water use efficiency, and high yielding in terms of seeds and oil. Higher yielding varieties will inevitably contribute to improved economic viability.

Furthermore, performance evaluation of jatropha under different management practices such as intercropping, irrigation and fertilizer application should be undertaken.

Engaging in such research therefore appears to be a better option now than to embark on large scale commercial production, which has been found to be risky.

Support for smallholder Jatropha production for improved wellbeing

While the Government of Botswana's main goal of jatropha production is energy security, it is also important to consider the added value of or alternative uses of jatropha oil such as soap, lamp oil, lotions, shampoo, bio-pesticides, bio-fertilizer, biogas and briquettes. In this regard, local efforts should be directed towards supporting smallscale jatropha projects such as hedge cultivation as it has been found to be more economically viable and has the potential to increase rural incomes as well as to increase access to energy to the poor. Farmers involved in hedge cultivation may form community trusts which could be assisted to have access to credit in order

to acquire small-scale oil extraction equipment. The oil and its added value would generate income for the trust, thereby helping to reduce rural poverty. The oil would also be used as a source of energy for lighting and cooking especially for individual community members who cannot afford the cost of electricity. Non-members of the trust would also be motivated to grow jatropha as market for sale of seeds would be available. The trust could also be assisted to acquire diesel powered generator which would be used for local services such as battery charging. Such services would be provided at a fee, hence contributing to income base of the trust. The oil could be used to make products such as soap that would be sold in the local market. Similarly the seed cake could be used as fertilizer.

Thus, hedgerow cultivation has the potential to offer greater benefits especially to rural communities and contribute to achieving the sustainable development goal of ending poverty in all its forms everywhere.

References

- 1. Achten WMJ, Verchot, L, Franken, YJ, Mathijs E, Singh VP *et al*. Jatropha biodiesel production and use. Biomass and Bioenergy. 2008; 32:1063-1084.
- 2. Amezaga JM, Von Maltitz G, Boyes S. Assessing the sustainability of bioenergy projects in developing countries: A framework for policy evaluation, Newcastle University, 2010.
- 3. Ariza-Montobbio P, Lele S. Jatropha plantations for biodiesel in Tamil Nadu, India: Viability, livelihood and trade-offs and latent conflict. Ecological Economics. 2010; 70:189-195.
- 4. Arndt C, Benfica R, Thurlow J. Gender implications of biofuels expansion in Africa: The case of Mozambique. World Development. 2011; 39:1649-1662.
- 5. Basiago AD. Economic, social, and environmental sustainability in development theory and urban planning practice. The Environmentalist. 1999; 19:145-161.
- 6. Batidzirai B, Faaij APC, Smeets E. Biomass and bioenergy supply from Mozambique. Energy for Sustainable Development. 2006; 10:54-81.
- 7. Borman GD. An assessment of the economic sustainability of jatropha-based biodiesel initiatives: Implications for labour and rural livelihoods. M.Sc. dissertation, University of the Witwatersrand, Johannesburg, 2011.
- 8. Buchholz T, Volk T. Considerations of project scale and sustainability of modern bioenergy systems in Uganda. Journal of Sustainable Forestry. 2012; 31:154-173.
- 9. Clancy JS. Are biofuels pro-poor? Assessing the evidence. The European Journal of Development Research. 2008; 20:416-431.
- Dufey A. International trade in biofuels: Good for the development? And good for environment. International Institute for Environment and Development, London, 2007.
- 11. Elbehri A, Segerstedt A, Liu P. Biofuels and sustainability challenge: A global assessment of sustainability issues, trends and policies for biofuels and relegated feedstock. FAO, Rome, 2013.
- 12. Takavarasha T, Uppal J, Hongo H. Feasibility study for the production and use of biofuels in Botswana. Ministry of Minerals, Energy and Water Resources, Gaborone, Botswana, 2007.
- 13. Eriksson J, Tiselius J. Economic analysis of electrification of rural villages in eastern Zambia, 2013.

- 14. Felix E, Cardona CA, Quintero A. Technical and economic viability of biofuel production chains. Biofuels, *a*griculture and poverty reduction. Overseas Development Institute, London, 2007, 111-138.
- 15. Gasparatos A, Von Maltitz GP, Johnson FX, Lee L, Mathai M *et al.* Biofuels in sub-Sahara Africa: Drivers, impacts and priority policy areas. Renewable and Sustainable Energy Reviews. 2015; 45:87-901.
- Gasparatos A, Lee LY, Von Maltitz GP, Mathai MV, Puppim de O et al. Biofuels in Africa: Impacts on ecosystem services, Biodiversity and Human Well-being. United Nations University Institute of Advanced Studies, 2012.
- 17. Gasparatos A, Stromberg P, Takeuchi K. Biofuels, ecosystem services and human wellbeing: Putting biofuels in the ecosystem services narrative. Agriculture, Ecosystems and Environment. 2011; 142:111-128.
- German LA, Schoneveld G. Biofuel investments in Sub Saharan Africa: A review of the early legal and institutional framework in Zambia. Review of Policy Research. 2012; 29:467-491.
- 19. German L, Schoneveld GC, Gumbo D. The local social and environmental impacts of smallholder-based Biofuels Investment in Zambia. Ecology and Society. 2011; 16:12.
- 20. Goswami K, Saikia J, Choudhury HK. Economic benefits and costs of jatropha plantation in North-East India. Agricultural Economics Research Review. 2011; 24:99-108.
- Gunatilake H. Financial and economic assessment of biodiesel production and use in India. South Asia Working Paper Series No.8. Asian Development Bank, Manila, 2011.
- 22. https://lrdeconomics.files.wordpress.com/2012/05/pr84.p df
- 23. Holmberg J. Making development sustainable: Redefining institutions, policy and economics. International Institute for Environment and Development, Washington D.C, 1992.
- 24. Horstkotte-Wesseler G, Maredia M, Byerlee D, Alex G. Ex ante economic analysis in AKIS projects methods and Guidelines for good practice. The World Bank, Washington DC, 2000.
- 25. International Fund for Agricultural Development (IFAD) IFAD's Internal Guidelines, Economic and Financial Analysis of rural investment projects. International Fund for Agricultural Development, 2015.